

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 21-Dec-2015

Print date: 21-Dec-2015

Version: 2

Page 1/10



OBTEGO R-40-(B)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name/designation:

OBTEGO R-40-(B)

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture:

Impregnating agent

1.3. Details of the supplier of the safety data sheet

Supplier (manufacturer/importer/only representative/downstream user/distributor):

OBTEGO AG

Landshuter Straße 36

84051 Altheim

Germany

Telephone: +49(0)8703/93844-0

Telefax: +49(0)8703/93844-29

E-mail: info@obtego.com

Website: www.obtego.com

E-mail (competent person): sonja.wyrzgol@obtego.com

1.4. Emergency telephone number

24h: +49(0)89-19240

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]:

Hazard classes and hazard categories	Hazard statements	Classification procedure
Serious eye damage/eye irritation (Eye Dam. 1)	H318: Causes serious eye damage.	

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms:



GHS05

Corrosion

Signal word: Danger

Hazard components for labelling:

3-Glycidyoxypropyltrimethoxysilane; methanol

hazard statements for health hazards	
H318	Causes serious eye damage.

Supplemental Hazard information (EU)	
EUH205	Contains epoxy constituents. May produce an allergic reaction.

Precautionary statements Prevention	
P280.6	Wear eye/face protection.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 21-Dec-2015

Print date: 21-Dec-2015

Version: 2

Page 2/10



OBTEGO R-40-(B)

Precautionary statements Response

P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor/...

2.3. Other hazards

Adverse environmental effects:

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

SECTION 3: Composition / information on ingredients

3.2. Mixtures

Hazardous ingredients / Hazardous impurities / Stabilisers:

product identifiers	Substance name Classification according to Regulation (EC) No 1272/2008 [CLP]	Concentration
CAS No.: 2530-83-8 EC No.: 219-784-2 REACH No.: 01-2119513212-58-XXXX	3-Glycidyloxypropyltrimethoxysilane Eye Dam. 1 Danger H318	≥ 10 - < 30 Wt %
CAS No.: 67-56-1 EC No.: 200-659-6	methanol Flam. Liq. 2, Acute Tox. 3, STOT SE 1 Danger H225-H301-H311-H331-H370	≥ 0.3 - < 1 Wt %

Full text of H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information:

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Remove victim out of the danger area. Remove contaminated, saturated clothing. If unconscious place in recovery position and seek medical advice. Do not leave affected person unattended. Warning First aider: Pay attention to self-protection!

Following inhalation:

Immediately call a POISON CENTER/doctor/.... If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. If breathing is irregular or stopped, administer artificial respiration. No mouth-to-mouth or mouth-to-nose resuscitation. Use Ambu bag or ventilator. If unconscious place in recovery position and seek medical advice.

In case of skin contact:

After contact with skin, wash immediately with plenty of water and soap. Immediately call a POISON CENTER/doctor/.... Take off immediately all contaminated clothing.

After eye contact:

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor/....

After ingestion:

Rinse mouth. Let water be drunk in little sips (dilution effect). Do NOT induce vomiting. Immediately call a POISON CENTER/doctor/....

Self-protection of the first aider:

Use personal protection equipment. No direct artificial respiration to be given by first aider. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

4.2. Most important symptoms and effects, both acute and delayed

Causes serious eye damage.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 21-Dec-2015

Print date: 21-Dec-2015

Version: 2

Page 3/10



OBTEGO R-40-(B)

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

The product itself does not burn. Co-ordinate fire-fighting measures to the fire surroundings. Extinguishing powder, Carbon dioxide (CO₂), alcohol resistant foam, Water spray

Unsuitable extinguishing media:

High power water jet

5.2. Special hazards arising from the substance or mixture

Pyrolysis products, toxic

Hazardous combustion products:

In case of fire: Gases/vapours, toxic

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Remove persons to safety.

5.4. Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Personal precautions:

Remove persons to safety. Special danger of slipping by leaking/spilling product. Provide adequate ventilation. Do not breathe dust/fume/gas/mist/vapours/spray.

Protective equipment:

Wear protective gloves/protective clothing/eye protection/face protection. In case of insufficient ventilation, wear suitable respiratory equipment.

6.1.2. For emergency responders

Personal protection equipment:

Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

6.3. Methods and material for containment and cleaning up

For containment:

Stop leak if safe to do so. Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Dispose of waste according to applicable legislation.

For cleaning up:

Water (with cleaning agent)

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

6.5. Additional information

Use appropriate container to avoid environmental contamination.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Protective measures

Advices on safe handling:

Wear personal protection equipment (refer to section 8). Provide adequate ventilation.

Fire prevent measures:

Usual measures for fire prevention.

Measures to prevent aerosol and dust generation:

Use only in well-ventilated areas.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 21-Dec-2015

Print date: 21-Dec-2015

Version: 2

Page 4/10



OBTEGO R-40-(B)

Environmental precautions:

Do not allow to enter into surface water or drains.

Advices on general occupational hygiene

Wash hands before breaks and after work. Use protective skin cream before handling the product. When using do not eat, drink or smoke. Avoid contact with eyes and skin.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions:

Keep container tightly closed in a cool, well-ventilated place.

Packaging materials:

Keep/Store only in original container.

Requirements for storage rooms and vessels:

The floor should be leak tight, jointless and not absorbent.

Hints on storage assembly:

Do not store together with: Food and feedingstuffs

Storage class: 12 - non-combustible liquids that cannot be assigned to any of the above storage classes

Further information on storage conditions:

Protect containers against damage. Keep away from heat.

7.3. Specific end use(s)

Recommendation:

Observe technical data sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. Occupational exposure limit values

Limit value type (country of origin)	Substance name	① long-term occupational exposure limit value ② short-term occupational exposure limit value ③ Instantaneous value ④ Monitoring and observation processes ⑤ Remark
IOELV (EU)	methanol CAS No.: 67-56-1	① 200 ppm (260 mg/m ³) ⑤ (May be absorbed through the skin.)
TRGS 900 (DE)	methanol CAS No.: 67-56-1	① 200 ppm (270 mg/m ³) ② 800 ppm (1,080 mg/m ³)

8.1.2. biological limit values

Limit value type (country of origin)	Substance name	Limit value	① parameter ② Test material ③ Sample time ④ Remark
TRGS 903 (DE)	methanol CAS No.: 67-56-1	30 mg/L	① Methanol ② Urin ③ bei Langzeitexposition, Expositionsende bzw. Schichtende

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 21-Dec-2015

Print date: 21-Dec-2015

Version: 2

Page 5/10



OBTEGO R-40-(B)

8.1.3. DNEL-/PNEC-values

Substance name	DNEL value	① DNEL type ② Exposure route
3-Glycidyoxypropyltrimethoxysilane CAS No.: 2530-83-8	147 mg/m ³	① DNEL worker ② DNEL acute inhalative (systemic)
3-Glycidyoxypropyltrimethoxysilane CAS No.: 2530-83-8	43.5 mg/m ³	① DNEL Consumer ② DNEL acute inhalative (systemic)
3-Glycidyoxypropyltrimethoxysilane CAS No.: 2530-83-8	147 mg/m ³	① DNEL worker ② DNEL long-term inhalative (systemic)
3-Glycidyoxypropyltrimethoxysilane CAS No.: 2530-83-8	43.5 mg/m ³	① DNEL worker ② DNEL long-term inhalative (systemic)
3-Glycidyoxypropyltrimethoxysilane CAS No.: 2530-83-8	21 mg/kg bw/day	① DNEL worker ② DNEL acute dermal, short-term (systemic)
3-Glycidyoxypropyltrimethoxysilane CAS No.: 2530-83-8	12.5 mg/kg bw/day	① DNEL Consumer ② DNEL acute dermal, short-term (systemic)
3-Glycidyoxypropyltrimethoxysilane CAS No.: 2530-83-8	21 mg/kg bw/day	① DNEL worker ② DNEL long-term dermal (systemic)
3-Glycidyoxypropyltrimethoxysilane CAS No.: 2530-83-8	12.5 mg/kg bw/day	① DNEL Consumer ② DNEL long-term dermal (systemic)
3-Glycidyoxypropyltrimethoxysilane CAS No.: 2530-83-8	12.5 mg/kg bw/day	① DNEL Consumer ② DNEL long-term oral (repeated)

Substance name	PNEC Value	① PNEC type
3-Glycidyoxypropyltrimethoxysilane CAS No.: 2530-83-8	1 mg/l	① PNEC aquatic, freshwater
3-Glycidyoxypropyltrimethoxysilane CAS No.: 2530-83-8	0.1 mg/l	① PNEC aquatic, marine water
3-Glycidyoxypropyltrimethoxysilane CAS No.: 2530-83-8	0.79 mg/kg	① PNEC sediment, freshwater
3-Glycidyoxypropyltrimethoxysilane CAS No.: 2530-83-8	0.079 mg/kg	① PNEC sediment, marine water
3-Glycidyoxypropyltrimethoxysilane CAS No.: 2530-83-8	0.13 mg/kg	① PNEC soil, freshwater
3-Glycidyoxypropyltrimethoxysilane CAS No.: 2530-83-8	10 mg/l	① PNEC sewage treatment plant (STP)

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Technical measures to prevent exposure

8.2.2. Personal protection equipment

Eye/face protection:

Eye glasses with side protection

Skin protection:

Tested protective gloves must be worn (DIN EN 374). Suitable material: Butyl caoutchouc (butyl rubber), Breakthrough time (maximum wearing time) > 120 min. Breakthrough times and swelling properties of the material must be taken into consideration.

Respiratory protection:

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn. Respiratory protection necessary at: aerosol or mist formation. Filtering device (full mask or mouthpiece) with filter: A-P2.

Other protection measures:

Do not breathe vapour/aerosol. Avoid contact with eyes and skin. Wear suitable protective clothing, gloves and eye/face protection.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 21-Dec-2015

Print date: 21-Dec-2015

Version: 2

Page 6/10



OBTEGO R-40-(B)

8.2.3. Environmental exposure controls

See section 7. No additional measures necessary.

8.3. Additional information

No data available

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state: liquid

Colour: light yellow

Odour: ester

Safety relevant basis data

parameter		at °C	Method	Remark
pH	<i>not determined</i>			
Melting point/freezing point	< -70 °C			
Freezing point	<i>not determined</i>			
Initial boiling point and boiling range	290 °C			
Decomposition temperature (°C):	<i>not determined</i>			
Flash point	> 107 °C			
Evaporation rate	<i>not determined</i>			
Ignition temperature in °C	<i>not determined</i>			
Upper/lower flammability or explosive limits	<i>not determined</i>			
Vapour pressure	< 1.33 hPa	20 °C		
Vapour density	<i>not determined</i>			
Density	1.16 g/cm ³	20 °C		
Bulk density	<i>not determined</i>			
Water solubility (g/L)	poorly soluble			
Partition coefficient: n-octanol/water	<i>not determined</i>			
Dynamic viscosity	<i>not determined</i>			
Kinematic viscosity	<i>not determined</i>	40 °C		

9.2. Other information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

Exothermic reaction with: Oxidising agent

10.4. Conditions to avoid

See section 7. No additional measures necessary.

10.5. Incompatible materials

Materials to avoid: Oxidising agent

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 21-Dec-2015

Print date: 21-Dec-2015

Version: 2

Page 7/10



OBTEGO R-40-(B)

SECTION 11: Toxicological information

11.1. Information on toxicological effects

CAS No.	Substance name	Toxicological information
2530-83-8	3-Glycidyloxypropyltrimethoxysilane	LD₅₀ oral: 8,025 mg/kg (Rat) LC₅₀ inhalative: >5.3 mg/l (Rabbit) LD₅₀ dermal: 4,250 mg/kg (Rabbit)

Acute oral toxicity:

not determined

Acute dermal toxicity:

not determined

Acute inhalation toxicity:

not determined

Skin corrosion/irritation:

not determined

Eye damage/irritation:

Causes serious eye damage.

Respiratory or skin sensitisation:

not determined

Germ cell mutagenicity:

not determined

Carcinogenicity:

not determined

Reproductive toxicity:

not determined

STOT-single exposure:

not determined

STOT-repeated exposure:

not determined

Aspiration hazard:

not determined

Additional information:

The evaluation was carried out according to the calculation method of the preparation directive.

Toxicological data are not available.

SECTION 12: Ecological information

12.1. Toxicity

CAS No.	Substance name	Toxicological information
2530-83-8	3-Glycidyloxypropyltrimethoxysilane	EC₅₀: 324 mg/l 2 d (Simocephalus vetulus) EC₅₀: 119 mg/l 3 d (Anabaena flos-aquae) NOEC: >100 mg/l 21 d (Daphnia magna (Big water flea))

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 21-Dec-2015

Print date: 21-Dec-2015

Version: 2

Page 8/10



OBTEGO R-40-(B)

12.2. Persistence and degradability

CAS No.	Substance name	Biodegradation	Remark
2530-83-8	3-Glycidyoxypropyltrimethoxysilane	No	
67-56-1	methanol	Yes, rapidly	

12.3. Bioaccumulative potential

CAS No.	Substance name	Log K _{OC}	Bioconcentration factor (BCF)
2530-83-8	3-Glycidyoxypropyltrimethoxysilane	-2.6	
67-56-1	methanol	-0.77	

Accumulation / Evaluation:

No indication of bioaccumulation potential.

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

CAS No.	Substance name	Results of PBT and vPvB assessment
2530-83-8	3-Glycidyoxypropyltrimethoxysilane	—
67-56-1	methanol	—

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Other adverse effects

The evaluation was carried out according to the calculation method of the preparation directive.
Toxicological data are not available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

13.1.1. Product/Packaging disposal

Waste codes/waste designations according to EWC/AVV

Waste code product:

08 02 99 wastes from MFSU of other coatings (including ceramic materials): Wastes not otherwise specified

Waste code packaging:

15 01 10 packaging containing residues of or contaminated by dangerous substances

Waste treatment options

Appropriate disposal / Product:

Dispose of waste according to applicable legislation. Consult the appropriate local waste disposal expert about waste disposal.

Appropriate disposal / Package:

Handle contaminated packages in the same way as the substance itself.

13.2. Additional information

No data available

SECTION 14: Transport information

No dangerous good in sense of these transport regulations.

14.1. UN-No.

not relevant

14.2. UN proper shipping name

not relevant

14.3. Transport hazard class(es)

not relevant

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 21-Dec-2015

Print date: 21-Dec-2015

Version: 2

Page 9/10



OBTEGO R-40-(B)

14.4. Packing group

not relevant

14.5. Environmental hazards

not relevant

14.6. Special precautions for user

not relevant

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

not relevant

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU legislation

Other regulations (EU):

91/689/EEC, 2001/118/EC, 1999/13/EC, 2004/42/EC, (EC) No. 1907/2006, (EC) No. 648/2004, (EC) No. 1272/2008, 75/324/EEC, 2008/47/EC, (EC) No. 453/2010, 2008/68/EC

Information according to 1999/13/EC about limitation of emissions of volatile organic compounds (VOC-guideline): VOC-value (in g/L): < 220

Directive 2004/42/EC on the limitation of emissions of volatile organic compounds:

VOC-value (in g/L): 0

This product meets the requirements of Regulation (EC) No. 1935/2004 on the limitation of VOC content.

15.1.2. National regulations

[DE] National regulations

Restrictions of occupation

Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC).

Störfallverordnung

Remark:

Not subject to StörfallVO.

Technische Anleitung Luft (TA-Luft)

Ziffer 1:

5.2.5. Organische Stoffe

Water hazard class (WGK)

WGK:

3 - stark wassergefährdend

Description:

Classification according to VwVwS, Annex 4.

Technische Regeln für Gefahrstoffe

TRGS 200, TRGS 401, TRGS 510, TRGS 900, TRGS 905

Berufsgenossenschaftliche Vorschriften (BGV)

Berufsgenossenschaftliche Informationen (BGI): BGI 595, BGI 564

Other regulations, restrictions and prohibition regulations

Gefahrstoffverordnung (GefStoffV), Wasserhaushaltsgesetz (WHG)

15.2. Chemical Safety Assessment

not applicable

15.3. Additional information

No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 21-Dec-2015

Print date: 21-Dec-2015

Version: 2

Page 10/10



OBTEGO R-40-(B)

SECTION 16: Other information

16.1. Indication of changes

No data available

16.2. Abbreviations and acronyms

See overview table at www.euphrac.eu

16.3. Key literature references and sources for data

No data available

16.4. Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

Classification according to Regulation (EC) No 1272/2008 [CLP]:

Hazard classes and hazard categories	Hazard statements	Classification procedure
Serious eye damage/eye irritation (<i>Eye Dam. 1</i>)	H318: Causes serious eye damage.	

16.5. Relevant R-, H- and EUH-phrases (Number and full text)

Hazard statements	
H225	Highly flammable liquid and vapour.
H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H318	Causes serious eye damage.
H331	Toxic if inhaled.
H370	Causes damage to organs.

16.6. Training advice

No data available

16.7. Additional information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.